



KelyLands
Car Accessory



NINGBO KELYLANDS CAR ACCESSORY CO.,LTD
Add: No. 229 YongAn West Road, Kandun Town,
Cixi, Ningbo, Zhejiang, China 315303

Tel: (086) 574 8731 2232

Fax: (086) 574 6303 7038

Mob: (086) 170 5109 5790

Web: www.kelylands.com

Email: sales@kelylands.com



ABOUT US







Ningbo KelyLands Car Accessory Co., Ltd is a professional manufacturer and exporter of car accessories with more than 10-year history. Our headquarters is located in Ningbo City, and we have 3 main production bases as well as a sourcing office. We are the owner of registered brand “KelyLands” in China, and provide OEM services. All of our team members keep focusing on R&D, production, sourcing and sales for car accessories such as Car fridges, Cooler Boxes, Car Air Purifiers, Car Air Humidifier, Car Air Pumps, Car Vacuum Cleaners, Car Chargers, Car MP3 Players, Phone Mounts and Portable Storage Box, etc.

Our goal is to provide every customer with portable and practical car accessories during their driving journey, and we always strive for it. In recent years, with the rise of car ownership, the demand for the in-car accessory is rapidly increasing. We observe and seize this market opportunity and supply quality products to more than 30 countries in the world, including the United States, Canada, Japan, Korea, Australia, Germany, India, etc. Our factories all have ISO9001 Quality System Certificate, FCC Certificate, GS Certificate, CE Certificate, RoHS Certificate, REACH Certificate and BSCI Certificate, etc.

With the original designs, high and stable quality, and omnidirectional sales service, we have set up a perfect partner network with a large number of well-known supermarkets, chain stores and even online shops in their private brands.



Certification



Content

Car Fridge



P01-05

Car Air Purifier & Humidifier



P06-11

Car Vacuum Cleaner



P12-14

Car Air Pump



P15-18

Car Mp3 Player



P19-22

Car Charger



P23-29

Phone Mount



P30-31

Storage Box



P32





MFA-0.5L

Specification:

1. Type: Thermoelectric Cooler
2. Voltage: USB DC 5V / AC 100V-240V
3. Power: 48W±10%
4. Volume: 0.5L
5. Cooling: 12-16°C below ambient temperature (25°C)
6. Insulation: High density EPS
7. Equipped with long life brushless motor (30,000 hours)
8. Outer Size(MM):115x115x185 / Inner Size(MM): 65x65x105

Packing:

Inner Box Size(MM): 140x140x215
Carton Size(MM): 730x300x450
QTY./Carton: 20 PCS/CTN
N.W./G.W.(KGS): 8/10



MFA-5L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 4L
4. Power: 48W±10%
5. Cooling: 16-20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. Equipped with long life brushless motor (30,000 hours)
9. Outer Size(MM): 190x270x275 / Inner Size(MM): 135x140x200

Packing:

Inner Box Size(MM): 285x200x295
Carton Size(MM): 420x300x605
QTY./Carton: 4 PCS/CTN
N.W./G.W.(KGS): 7/10



MFA-6L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 6L
4. Power: 48W±10%
5. Cooling: 16-20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. Equipped with long life brushless motor (30,000 hours)
9. Tempered glass door surface
10. Outer Size(MM): 208x275x303 / Inner Size(MM): 140x148x240

Packing:

Inner Box Size(MM): 315x260x350
Carton Size(MM): 540x330x720
QTY./Carton: 4 PCS/CTN
N.W./G.W.(KGS): 11/15



MFA-9L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 9L
4. Power: 48W±10%
5. Cooling: 16-20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. Equipped with long life brushless motor (30,000 hours)
9. Outer Size(MM): 266x264x335 / Inner Size(MM): 200x142x250

Packing:

Inner Box Size(MM): 296x298x358
Carton Size(MM): 620x620x380
QTY./Carton: 4 PCS/CTN
N.W./G.W.(KGS): 11/15



MFA-15L-A

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 15L
4. Power: 48W±10%
5. Cooling: 16-20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. Equipped with long life brushless motor (30,000 hours)
9. Outer Size(MM): 269x332x380 / Inner Size(MM): 205x205x320

Packing:

Inner Box Size(MM): 380x310x440
 Carton Size(MM): 640x395x455
 QTY./Carton: 2 PCS/CTN
 N.W./G.W.(KGS): 9.5/12.5



MFA-15L-L

Specification:

1. Type: Thermoelectric Cooler and Warmer (Dual Cooling)
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 15L
4. Power: 78W±10%
5. Cooling: 26-30°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Digital temperature display and control temp pannel
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 270x325x385 / Inner Size(MM): 205x205x320

Packing:

Inner Box Size(MM): 380x310x440
 Carton Size(MM): 640x395x455
 QTY./Carton: 2 PCS/CTN
 N.W./G.W.(KGS): 9.5/12.5



MFA-20L-I

Specification:

1. Type: Thermoelectric Cooler and Warmer (Dual Cooling)
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 20L
4. Power: 78W±10%
5. Cooling: 26-30°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Equipped with long life brushless motor (30,000 hours)
9. Digital temperature display and control temp pannel
10. Outer Size(MM): 285x350x415 / Inner Size(MM): 225x230x345

Packing:

Inner Box Size(MM): 455x320x400
 Carton Size(MM): 660x470x415
 QTY./Carton: 2 PCS/CTN
 N.W./G.W.(KGS): 12.5/16



MFA-26L-B

Specification:

1. Type: Thermoelectric Cooler and Warmer (Dual Cooling)
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 25L
4. Power: 78W±10%
5. Cooling: 26-30°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Equipped with long life brushless motor (30,000 hours)
9. Digital temperature display and control temp pannel
10. Tempered glass door surface
11. Outer Size(MM): 333x375x513 / Inner Size(MM): 253x233x419

Packing:

Inner Box Size(MM): 410x325x440
 Carton Size(MM): 425x400x580
 QTY./Carton: 1 PCS/CTN
 N.W./G.W.(KGS): 8.5/10





CBP-8L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 8L
4. Power: 48W±10%
5. Cooling: 20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. With USB5V input and output
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 195x390x300 / Inner Size(MM): 140x205x245

Packing:

Inner Box Size(MM): 410x235x325
Carton Size(MM): 490x425x670
QTY./Carton: 4 PCS/CTN
N.W./G.W.(KGS): 10/11



CBP-18L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 18L
4. Power: 60W±10%
5. Cooling: 26-30°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Digital display with control pannel
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 465x320x335 / Inner Size(MM): 385x190x265

Packing:

Inner Box Size(MM): 488x340x378
Carton Size(MM): 503x355x393
QTY./Carton: 1 PCS/CTN
N.W./G.W.(KGS): 5.4/7



CBP-12L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 8L
4. Power: 48W±10%
5. Cooling: 20°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: High density EPS
8. With USB5V input and output
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 195x390x300 / Inner Size(MM): 140x205x245

Packing:

Inner Box Size(MM): 410x235x325
Carton Size(MM): 490x425x670
QTY./Carton: 4 PCS/CTN
N.W./G.W.(KGS): 10/11



CBP-24L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 24L
4. Power: 48W±10%
5. Cooling: 13-18°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Red/green light shows hot/cold status
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 400x300x430 / Inner Size(MM): 325x220x360

Packing:

Inner Box Size(MM): 405x305x453
Carton Size(MM): 630x420x470
QTY./Carton: 2 PCS/CTN
N.W./G.W.(KGS): 9/10

CBP-C-25L

Specification:

1. Type: Compressor Cooler
2. Voltage: DC 12V-24V / AC 100V-240V
3. Volume: 25L
4. Power: 45-55W±10%
5. Cooling: Down to -18°C at ambient temperature (25°C)
6. Insulation: Solid polyurethane foam (PU foam)
7. Digital temperature display and control temperature panel
8. Battery protection: 3 level battery monitor
9. Adjustable for ECO and HH modes
10. Outer Size(MM): 580x364x345 / Inner Size(MM): 250x280x250

Packing:

Inner Box Size(MM): 680x460x440
Carton Size(MM): 680x470x445
QTY./Carton: 1 PCS/CTN
N.W./G.W.(KGS): 12/13



CBP-C-35L

Specification:

1. Type: Compressor Cooler
2. Voltage: DC 12V-24V / AC 100V-240V
3. Volume: 35L
4. Power: 48W±10%
5. Cooling: Down to -18°C at ambient temperature (25°C)
6. Insulation: Solid polyurethane foam (PU foam)
7. Digital temperature display and control temperature panel
8. Battery protection: 3 level battery monitor
9. Adjustable for ECO and HH modes
10. Outer Size(MM): 580x364x433 / Inner Size(MM): 250x280x330

Packing:

Inner Box Size(MM): 685x465x600
Carton Size(MM): 680x470x530
QTY./Carton: 1 PCS/CTN
N.W./G.W.(KGS): 13/14



CBP-33L (NEW)

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 33L
4. Power: 48W±10%
5. Cooling: Down to 8°C at ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. With digital display and USB 5V output for charging phone
9. Control panel: 4 button (ON/OFF; UP; DOWN & ECO)
10. Blue tooth speaker
11. Outer Size(MM): 451x354x455 / Inner Size(MM): 364x261x356

Packing:

Inner Box Size(MM): 685x465x600
Carton Size(MM): 680x470x530
QTY./Carton: 1 PCS/CTN
N.W./G.W.(KGS): 13/14



CFP-35L (NEW)

Specification:

1. Type: Compressor Cooler
2. Voltage: DC 12V-24V / AC 100V-240V
3. Volume: 35L
4. Power: 48W±10%
5. Cooling: Down to -18°C at ambient temperature (25°C)
6. Insulation: Solid polyurethane foam (PU foam)
7. Digital temperature display and control temperature panel
8. 5V power output for charging phone
9. ECO function

Packing:

Inner Box Size(MM): 405x305x453
Carton Size(MM): 630x420x470
QTY./Carton: 2 PCS/CTN
N.W./G.W.(KGS): 9/10





CFP-45L (NEW)

Specification:

1. Type: Compressor Cooler
2. Voltage: DC 12V-24V / AC 100V-240V
3. Volume: 45L
4. Power: 48W±10%
5. Cooling: Down to -18°C at ambient temperature (25°C)
6. Insulation: Solid polyurethane foam (PU foam)
7. Digital temperature display and control temperature panel
8. 5V power output for charging phone
9. ECO function

Packing:

Inner Box Size(MM): 680x460x440
Carton Size(MM): 680x470x445
QTY./Carton: 1 PCS/CTN
N.W./G.W.(KGS): 12/13



CBP-50L

Specification:

1. Type: Thermoelectric Cooler and Warmer
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 50L
4. Power: 48W±10%
5. Cooling: 13-15°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Red/green light shows hot/cold status
9. Equipped with long life brushless motor (30,000 hours)
10. Outer Size(MM): 600x410x420 / Inner Size(MM): 495x335x330

Packing:

Inner Box Size(MM): 615x420x435
Carton Size(MM): 630x435x450
QTY./Carton: 1 PCS/CTN
N.W./ G.W.(KGS): 8/9



CBP-50L-E

Specification:

1. Type: Thermoelectric Cooler and Warmer (Double Cooling)
2. Voltage: DC 12V / AC 100V-240V
3. Volume: 50L
4. Power: 60W±10%
5. Cooling: 25°C below ambient temperature (25°C)
6. Heating: 50-65°C by thermostat
7. Insulation: Solid polyurethane foam (PU foam)
8. Digital display with control panel
9. Trolley with wheels
10. Equipped with long life brushless motor (30,000 hours)
11. Outer Size(MM): 524x586x421 / Inner Size(MM): 303x477x347

Packing:

Inner Box Size(MM): 635x465x565
Carton Size(MM): 650x480x580
QTY. / Carton: 1 PCS/CTN
N.W / G.W(KGS): 9.5/10





EP-202

Specification:

1. Voltage: DC 5V
2. Power: <1W
3. Available Space: 3m³
4. Material: ABS
5. Noise: <35 dB
6. Interface Type: USB
7. Size(MM): 90.5x22x22
8. Blister Packing(MM): 80x140x235

Feature:

- The generated anions can dispel dust, and put an end to passive smoking
- Lightly ozone disinfection can be carried out to the air, inhibit bacteria viruses breeding
- Gentle built-in light as working indication and decoration
- USB plug-in available for convenient usage, low-power consumption, eco-friendly and energy saving

F-C2

Specification:

1. Power Input: 5V / 1A (USB)
2. USB Output: 5V / 1A
3. Available Space: 10m³
4. Material: ABS+ Alumina
5. Noise: <27 dB
6. Weight: 300g
7. Size(MM): D65xH153

Feature:

- 12 million Negative ions
- Auto Start, One Key Operation
- USB output for cell phone, mobile devices
- Premium aluminum exterior



EP-204

Specification:

1. Voltage: DC 5V
2. Power: <1W
3. Available Space: 3m³
4. Material: ABS
5. Noise: <35 dB
6. Interface Type: USB
7. Size(MM): 89x26x16
8. Blister Packing(MM): 95x28x164

Feature:

- The generated anions can dispel dust, and put an end to passive smoking
- Lightly ozone disinfection can be carried out to the air, inhibit bacteria viruses breeding
- Gentle built-in light as working indication and decoration
- USB plug-in available for convenient usage, low-power consumption, eco-friendly and energy saving

F-C3

Specification:

1. Power Input: 5V / 1A (USB)
2. USB Output: 5V / 1A
3. Available Space: 10m³
4. Material: ABS+ Alumina
5. Battery :1800Amh
6. Noise: <27 dB
7. Weight: 450g
8. Size(MM): D65xH153

Feature:

- 10 million high-concentration negative ions, strong sterilization and dust removal
- Ozone concentration:100mg
- USB output emergency charging (mobile phone, ipad and other electronic equipment)
- The high-end CD pattern panel design and the aluminum oxide process body are both beautiful and practical





E-W

Specification:

1. Power Input: 12V / 1A (USB)
2. Switch Mode: Infrared sensor
3. Available Space: 10m³
4. Material: ABS
5. Noise: <38 dB
6. Filter: 13 grade HEPA material
7. Weight: 720g (with bracket and back clip)
8. Size(MM): 170x110x50

Feature:

- Level 13 HEPA highly efficient sterilization, dust removal and deodorization
- Sharp sensor PM2.5 real-time monitoring
- Freely switch between strong and weak winds, and the night sleep mode is super silent and does not disturb people
- Built-in aromatherapy interlayer, DIY fragrance according to personal preference

E-L

Specification:

1. Power Input: 5V / 1A (USB)
2. USB Output: 5V / 1A
3. Anion Concentration: 8 million pcs/cm³
4. Material: ABS+ Alumina
5. Available Space: 10m³
6. Noise: <38 dB
7. Filter: 13 grade HEPA material
8. Weight: 300g
9. Size(MM): D67xH172

Feature:

- 8 million high-concentration negative ions, powerful sterilization, dust removal and purification
- Level 13 HEPA highly effective sterilization, dust removal and deodorization
- USB output emergency charging (mobile phone, ipad and other electronic equipment)
- Built-in aromatherapy inter-layer



E-F1

Specification:

1. Power Input: 12V / 1A (USB)
2. Material: ABS+ Alumina
3. Switch Mode: Infrared sensor
4. Available Space: 10m³
5. Noise: <38 dB
6. Filter: 13 grade HEPA material
7. Weight: 300g
8. Size(MM): 170x110x50

Feature:

- 8 million high-concentration negative ion sterilization, dust removal and purification
- Level 13 HEPA highly effective sterilization
- PM2.5 real-time monitoring, Sharp sensor + four-color breathing light warning
- Infrared induction control, simple operation, safe and convenient

E-L2

Specification:

1. Power Input: 5V / 1A (USB)
2. USB Output: 5V / 1A
3. LED wavelength: 260-280nm
4. Lamp power: 4mW *2
5. Lamp life: 10000 hour
6. Material: ABS+ Alumina
7. Available Space: 10m³
8. Noise: <38 dB
9. Filter: 13 grade HEPA material
10. Weight: 300g
11. Size(MM): D67xH172

Feature:

- UVA+UVC ultraviolet LED, sterilization: 99.99%
- Level 13 HEPA highly effective sterilization, dust removal and deodorization
- USB output emergency charging (mobile phone, ipad and other electronic equipment)
- Built-in aromatherapy inter-layer





HL-8857

Specification:

1. Voltage: DC 5V
2. Power: 5W
3. Available Space: $\leq 15\text{m}^3$
4. Noise: $< 40\text{ dB}$
5. Interface Type: USB
6. Filter: HEPA
7. Weight: 500g
8. Size(MM): 160x220x40

Feature:

- Solar energy acts as an auxiliary power source
- Power Storage 8-10 Hours
- Aroma diffusion
- Multifunctional composite filter screen

LX-1609A

Specification:

1. Voltage: DC 12V
2. Power: 3W
3. Available Space: $\leq 10\text{m}^3$
4. Noise: $< 30\text{ dB}$
5. Interface Type: USB
6. Filter: HEPA
7. Weight: 350g
8. Size(MM): 160x160x45

Feature:

- Anion concentrations is 5 million pcs/cm³
- Light hint and atmosphere Lamp
- Multifunctional composite filter screen



Q-3

Specification:

1. Voltage: DC 5V
2. Power: 5W
3. Available Space: $\leq 15\text{m}^3$
4. Noise: $< 40\text{ dB}$
5. Interface Type: USB
6. Filter: HEPA
7. Weight: 380g
8. Size(MM): 160x160x45

Feature:

- Solar energy acts as an auxiliary power source
- Power Storage 8-10 Hours
- Anion concentrations is 8 million pcs/cm³
- Aroma diffusion and humidifying function
- Atmosphere Lamp
- Multifunctional composite filter screen

EP-501

Specification:

1. Voltage: DC 12V
2. Power: $< 1\text{W}$
3. Available Space: 4m³
4. Interface Type: Car cigarette lighter
5. Size(MM): 101x33x21
6. Blister Packing(MM): 75x75x155

Feature:

- The generated anions can dispel dust, smog in the automobile, make the air natural and fresh
- Generates negative ions to improve human heart and lung function, promote metabolism, dispel fatigue, and relieve car sickness
- Lightly ozone can dispel mildew smell, smoke, and formaldehyde, benzene and poisonous gas discharged in the car
- Gentle built-in light as working indication and decoration
- Simply plug into cigarette lighter ports, also be perfer for use in truck, RV or camper.
- Air is used as the material, no secondary pollution, low-power consumption, environmental friendly





EP-502

Specification:

- 1.Voltage: DC 12V
- 2.Power: < 1W
- 3.Available Space: 4m³
- 4.Interface Type: Car cigarette lighter
- 5.Size(MM): 110x28x28
- 6.Blister Packing(MM): 40x40x110

Feature:

- The generated anions can dispel dust, smog in the automobile, make the air natural and fresh
- Generates negative ions to improve human heart and lung function, promote metabolism, dispel fatigue, and relieve car sickness
- Lightly ozone can dispel mildew smell, smoke, and formaldehyde, benzene and poisonous gas discharged in the car
- Gentle built-in light as working indication and decoration
- Simply plug into cigarette lighter ports, also be perfer for use in truck, RV or camper
- Air is used as the material, no secondary pollution, low-power consumption, environmental friendly



EP-503

Specification:

- 1.Voltage: DC 12V
- 2.Power: < 1W
- 3.Available Space: 4m³
- 4.Interface Type: Car cigarette lighter
- 5.Size(MM): 117x27.5x27.5
- 6.Blister Packing(MM): 40x40x110

Feature:

- Gentle built-in light as working indication and decoration
- Simply plug into cigarette lighter ports, also be perfer for use in truck, RV or camper
- The generated anions can dispel dust, smog in the automobile, make the air natural and fresh
- Air is used as the material, no secondary pollution, low-power consumption, environmental friendly
- Generates negative ions to improve human heart and lung function, promote metabolism, dispel fatigue, and relieve car sickness
- Lightly ozone can dispel mildew smell, smoke, and formaldehyde, benzene and poisonous gas discharged in the car



RD-610

Specification:

1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 300 ml
4. Humidity output: 30 ml/hour
5. Noise: < 30 dB
6. Available space: < 10m³

Feature:

- Portable mini size
- Car or travel use
- Silence working
- Automatic cut off after 3 hours working

Packing:

Inner box size(MM): 78x78x140
Carton size(MM): 490x420x440
Qty./Carton: 100 pcs

RD-614

Specification:

1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 300 ml
4. Humidity output: 30 ml/hour
5. Noise: < 30 dB
6. Available space: < 10m³

Feature:

- Portable mini size
- Car or travel use
- Silence working
- Automatic cut off after 3 hours working

Packing:

Inner box size(MM): 70x70x160
Carton size(MM): 370x370x340
Qty./Carton: 50 pcs



RD-611

Specification:

1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 300 ml
4. Humidity output: 30 ml/hour
5. Noise: < 30 dB
6. Available space: < 10m³

Feature:

- Portable mini size
- Car or travel use
- Silence working
- Automatic cut off after 3 hours working

Packing:

Inner box size(MM): 73x73x178
Carton size(MM): 590x370x370
Qty./Carton: 80 pcs

RD-620

Specification:

1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 500 ml
4. Humidity output: 30 ml/hour
5. Noise: < 30 dB
6. Available space: < 10m³

Feature:

- Portable mini size
- Car or travel use
- Silence working
- Small enough to easily fit in your luggage or carry on

Packing:

Inner box size(MM): 90x90x140
Carton size(MM): 520x435x290
Qty./Carton: 60 pcs





RD-625

Specification:

1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 500 ml
4. Humidity output: 30 ml/hour
5. Noise: < 30 dB
6. Available space: < 10m³

Feature:

- Portable mini size
- Car or travel use
- Silence working
- Low power consumption

Packing:

Inner box size(MM): 85x85x165
Carton size(MM): 360x360x530
Qty./Carton: 48 pcs



RD-1915

Specification:


1. Voltage: DC 5V
2. Interface Type: USB
3. Capacity: 60ml
4. Humidity output: 8 ml/hour
5. Noise: < 36 dB
6. Available space: < 10m³

Feature:

- Aroma diffuser
- Portable mini size.
- Car or travel use.
- Seven soothing LED light.
- Automatic power off when water tank is empty.

Packing:

Inner box size(MM): 76x76x168
Carton size(MM): 476x476x350
Qty./Carton: 76 pcs



CZK-6617

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 100W (Normal)/60W (Rechargeable)
5. Vacuum Suction: $\geq 4000\text{Pa}$ (Normal)/ $\geq 3500\text{Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 17 Min)
7. Length of Cable (Normal): 4.5Meter
8. Weight: 0.70kg (Normal)/0.75kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Strong suction, no attenuation of suction after multi-layer filtering
- Removable dust collection bin and Haipa filter, easy to clean

Packing:

Inner box size(MM): 390x110x122
Carton size(MM): 580x400x516
Qty./Carton: 20 pcs



CZK-6625

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 90-100W (Normal)/60-80W (Rechargeable)
5. Vacuum Suction: $\geq 5000\text{Pa}$ (Normal)/ $\geq 4000/5000\text{Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 17 Min)/4400mAh (> 18 Min)
7. Length of Cable (Normal): 4.5Meter
8. Weight: 0.80 kg (Normal)/0.85 kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Transparent hood, optional suction nozzle cover
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering

Packing:

Inner box size(MM): 378x123x97
Carton size(MM): 520x390x505
Qty./Carton: 20 pcs



CZK-6624

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 100W (Normal)/80W (Rechargeable)
5. Vacuum Suction: $\geq 5000\text{Pa}$ (Normal)/ $\geq 5000\text{Pa}$ (Rechargeable)
6. Display: Pointer / Digital
7. Battery capacity (Rechargeable): 6000mAh (> 18 Min)
8. Length of Cable (Normal): 4.5Meter
9. Weight: 1.50kg (Normal)/1.55kg (Rechargeable)

Feature:

- Multi-function, inflation, lighting, pressure measurement
- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering
- Transparent hood, easy to observe

Packing:

Inner box size(MM): 400x120x155
Carton size(MM): 490x500x415
Qty./Carton: 12 pcs



CZK-6626M

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 100W (Normal)/60W (Rechargeable)
5. Vacuum Suction: $\geq 5500\text{Pa}$ (Normal)/ $\geq 4000\text{Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 17 Min)
7. Length of Cable (Normal): 4.5Meter
8. Weight: 0.75kg (Normal)/0.80kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering
- Optional air purification, negative ion concentration over 5 Million

Packing:

Inner box size(MM): 390x105x120
Carton size(MM): 575x400x520
Qty./Carton: 20 pcs



CZK-6628

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 100W (Normal)/60W (Rechargeable)
5. Vacuum Suction: $\geq 4500\text{Pa}$ (Normal)/ $\geq 4000\text{Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 17 Min)
7. Length of Cable (Normal): 4.5Meter
8. Weight: 0.80kg (Normal)/0.85kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering

Packing:

Inner box size(MM): 400x128x120
Carton size(MM): 540x410x515
Qty./Carton: 16 pcs



CZK-6631

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 100W
5. Vacuum Suction: $\geq 5000\text{ Pa}$
6. Display: Pointer / Digital
7. Battery capacity (Rechargeable): 6000mAh (> 18 Min)
8. Length of Cable (Normal): 4.5Meter
9. Weight: 1.45kg (Normal)/1.50kg (Rechargeable)

Feature:

- Multi-function, inflation, lighting, pressure measurement
- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering
- Transparent hood, easy to observe

Packing:

Inner box size(MM): 395x130x130
Carton size(MM): 555x415x420
Qty./Carton: 12 pcs



CZK-6630

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 90-110W (Normal)/60-80W (Rechargeable)
5. Vacuum Suction: $\geq 5000\text{ Pa}$ (Normal)/ $\geq 4500/6000\text{ Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 17 Min)/6600mAh (> 18 Min)
7. Speed Adjustment: Yes (Rechargeable 80W Type)
8. Length of Cable (Normal): 4.5Meter
9. Weight: 1.00kg (Normal)/1.05kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering
- Transparent hood, power display, easy to observe

Packing:

Inner box size(MM): 390x110x130
Carton size(MM): 450x400x540
Qty./Carton: 16 pcs



CZK-6633

Specification:

1. Type: Wet and Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 65W (Normal)/55W (Rechargeable)
5. Vacuum Suction: $\geq 3500\text{ Pa}$ (Normal)/ $\geq 3000\text{ Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 3000mAh (> 12 Min)
7. Length of Cable (Normal): 4.5Meter
8. Weight: 0.70kg (Normal)/0.75kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Transparent hood, easy to observe
- Lighting function

Packing:

Inner box size(MM): 380x108x132
Carton size(MM): 390x550x540
Qty./Carton: 20 pcs



CZK-6650

Specification:

1. Type: Dry
2. Interface Type: Cigarette Lighter (Normal)/USB (Rechargeable)
3. Voltage: DC 12V
4. Power: 70W (Normal)/40-50W (Rechargeable)
5. Vacuum Suction: $\geq 5000\text{Pa}$ (Normal)/ $\geq 4000/5000\text{Pa}$ (Rechargeable)
6. Battery capacity (Rechargeable): 4000mAh (> 20 Min)/6000mAh (> 20 Min)
7. Speed Adjustment: Yes (Rechargeable Type)
8. Length of Cable (Normal): 4.5Meter
9. Weight: 0.61kg (Normal) / 0.66kg (Rechargeable)

Feature:

- Detachable multi-functional suction nozzle combination
- Removable dust collection bin and Haipa filter, easy to clean
- Strong suction, no attenuation of suction after multi-layer filtering
- Transparent hood, easy to observe

Packing:

Inner box size(MM): 400x80x80

Carton size(MM): 440x410x360

Qty./Carton: 20 pcs







CZK-3603

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 100W
5. Cylinder bore: 19MM/22MM
6. Display: Pointer/Digital
7. Length of cable: 3Meter
8. Working time: 7Min/4.5Min
9. Weight: 1.10kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 220x100x200
Carton size(MM): 460x430x440
Qty./Carton: 16 pcs



CZK-3609

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 100W
5. Cylinder bore: 19MM/22MM
6. Display: Pointer/Digital
7. Length of cable: 3Meter
8. Working time: 7Min/4.5Min
9. Weight: 0.92kg

Feature:

- Lighting function
- Auto-off (Digital display type)

Packing:

Inner box size(MM): 160x80x200
Carton size(MM): 420x340x350
Qty./Carton: 16 pcs



CZK-3634

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 100W
5. Cylinder bore: 19MM/22MM
6. Display: Pointer/Digital
7. Length of cable: 3Meter
8. Working time: 7Min/4.5Min
9. Weight: 0.98kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 162x87x207
Carton size(MM): 370x345x440
Qty./Carton: 16 pcs



CZK-3613

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 60W
5. Cylinder bore: 16MM
6. Display: Pointer
7. Length of cable: 3Meter
8. Working time: 13Min
9. Weight: 0.50kg

Feature:

- Mini Size
- Light weight

Packing:

Inner box size(MM): 165x85x140
Carton size(MM): 440x300x360
Qty./Carton: 20 pcs



CZK-3617

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 100W
5. Cylinder bore: 19MM/22MM
6. Display: Pointer/Digital
7. Length of cable: 3Meter
8. Working time: 5.5Min/4.5Min
9. Weight: 0.90kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 160x85x205
Carton size(MM): 375x345x435
Qty./Carton: 16 pcs



CZK-3618

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 120W
5. Cylinder bore: 30MM
6. Display: Pointer/Digital
7. Length of cable: 3Meter
8. Working time: 3.5Min
9. Weight: 1.55kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 163x82x275
Carton size(MM): 560x340x340
Qty./Carton: 12 pcs



CZK-3624

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
4. Power: 100W
5. Cylinder bore: 22MM
6. Display: Digital
7. Length of cable: 3Meter
8. Working time: 4.5Min
9. Weight: 0.90kg

Feature:

- Lighting function
- Auto-off

Packing:

Inner box size(MM): 142x75x210
Carton size(MM): 440x320x300
Qty./Carton: 16 pcs



CZK-3631

Specification:

1. Interface Type: Car cigarette charger/ USB
2. Voltage: DC 12V
4. Power: 120W/100W
5. Cylinder bore: 19MM/22MM
6. Display: Pointer/Digital
7. Battery capacity (USB Rechargeable type): 6000mAh
8. Length of cable (Normal type): 3Meter
9. Working time: 7Min/4.5Min
10. Weight: 0.98kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 212x98x170
Carton size(MM): 430x400x350
Qty./Carton: 16 pcs



CZK-3650

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
3. Power: 100W
4. Cylinder bore: 22MM
5. Display: Digital
6. Length of cable: 3Meter
7. Working time: 4.5Min
8. Weight: 1.05kg

Feature:

- Lighting function
- Auto-off
- Hand-held

Packing:

Inner box size(MM): 163x82x275
Carton size(MM): 560x340x340
Qty./Carton: 16 pcs

CZK-3660

Specification:

1. Interface Type: USB
2. Voltage: DC 12V
3. Power: 70W
4. Cylinder bore: 16MM
5. Display: Digital
6. Battery capacity: 1500mAh
7. Working time: 9Min
8. Weight: 0.60kg

Feature:

- Lighting function
- Auto-off
- Power bank

Packing:

Inner box size(MM): 245x65x65
Carton size(MM): 530x340x250
Qty./Carton: 24 pcs



CZK-3654

Specification:

1. Interface Type: Car cigarette charger/USB
2. Voltage: DC 12V
3. Power: 80W/100W
4. Cylinder bore: 22MM
5. Display: Digital
6. Battery capacity (USB Rechargeable type): 4500mAh
7. Length of cable(Normal type): 3Meter
8. Working time: 4.5Min
9. Weight: 0.95kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Hand-held

Packing:

Inner box size(MM): 140x125x155
Carton size(MM): 515x295x335
Qty./Carton: 16 pcs

CZK-3658 (Air Blower)

Specification:

1. Interface Type: Car cigarette charger/USB
2. Voltage: DC 12V
3. Power: 120W
4. Air Pressure: $\geq 6000\text{Pa}$
5. Air Flow: 1000L/Min
6. Battery capacity (USB Rechargeable type): 6000mAh
7. Length of cable(Normal type): 4.5Meter
8. Weight: 1.00kg

Feature:

- Equipped with 6 types of inflation nozzles
- Suitable for inflating kayaks
- Hand-held

Packing:

Inner box size(MM): 200x125x195
Carton size(MM): 515x415x405
Qty./Carton: 16 pcs



CZK-3632

Specification:

1. Interface Type: Car cigarette charger/ USB
2. Voltage: DC 12V
3. Power: 80W/100W
4. Cylinder bore: 22MM
5. Display: Digital
6. Battery capacity (USB Rechargeable type): 6000mAh
7. Length of cable (Normal type): 3Meter
8. Working time: 4.5Min
9. Weight: 1.14kg

Feature:

- Lighting function
- Auto-off

Packing:

Inner box size(MM): 295x225x75
Carton size(MM): 600x480x330
Qty./Carton: 16 pcs

CZK-3636

Specification:

1. Interface Type: Car cigarette charger
2. Voltage: DC 12V
3. Power: 120W
4. Cylinder bore: 30MM
5. Display: Pointer/Digital
6. Length of cable: 3Meter
7. Working time: 3.5Min
8. Weight: 1.65kg

Feature:

- Lighting function
- Auto-off (Digital display type)
- Optional with tool kit

Packing:

Inner box size(MM): 230x120x198
Carton size(MM): 460x360x400
Qty./Carton: 12 pcs



CZK-3635

Specification:

1. Interface Type: Car cigarette charger/ USB
2. Voltage: DC 12V
3. Power: 80W/100W
4. Cylinder bore: 22MM
5. Display: Digital
6. Battery capacity (USB Rechargeable type): 6000mAh
7. Length of cable (Normal type): 3Meter
8. Working time: 4.5Min
9. Weight: 1.35kg

Feature:

- Lighting function
- Auto-off

Packing:

Inner box size(MM): 280x265x85
Carton size(MM): 570x540x350
Qty./Carton: 16 pcs





Car Charger



HY-10

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.6A
3. Output Voltage: DC 5V
4. Power: 60W
5. USB Interface: 3 / Cigarette Lighter: 1
6. Color: Silver/Grey
7. Size(MM): 100x55x33
8. Weight: 55g

Feature:

- Three-in-one multi-function: cigarette lighter + car charger + voltage detection
- 3 USB intelligent current shunt
- LED display, car battery voltage detection
- Built-in smart chip, multiple intelligent protection, over current/over voltage/ short circuit/overheat /under current/under voltage /filtering protection

Packing:

Inner box size(MM):140x85x40
Carton size(MM): 450x440x356
Qty./Carton: 120 pcs

HY-18

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 3 / Cigarette Lighter: 2
6. Color: Black
7. Length of wire: 60cm
8. Size(MM): 80x100x80
9. Weight: 232g

Feature:

- 3 USB intelligent current shunt
- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over voltage/over current protection
- High elastic metal contacts, fixed firmly
- Pure copper wire core and built-in 10A replaceable safety tube to prevent short circuit
- Smart cooling

Packing:

Inner box size(MM): 138x165x90
Carton size(MM): 566x475x520
Qty./Carton: 60 pcs



HY-16

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.6A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2 / Cigarette Lighter: 2
6. Color: Black
7. Size(MM): 94x115x33
8. Weight: 87g

Feature:

- Three-in-one multi-function: cigarette lighter + car charger + voltage detection
- 2 USB intelligent current shunt
- LED display, car battery voltage detection
- 60°adjustable angle of rotation axis, can save space
- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over-voltage/over current protection
- High elastic metal contacts, fixed firmly

Packing:

Inner box size(MM): 95x53x165
Carton size(MM): 575x345x495
Qty./Carton: 100 pcs

HY-18B

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 3 / Cigarette Lighter: 2
6. Color: Black
7. Length of wire: 60cm
8. Size(MM): 80x100x80
9. Weight: 232g

Feature:

- LED display, car battery voltage detection
- 3 USB intelligent current shunt
- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over voltage/over current protection
- High elastic metal contacts, fixed firmly
- Pure copper wire core and built-in 10A replaceable safety tube to prevent short circuit
- Smart cooling

Packing:

Inner box size(MM): 138x165x90
Carton size(MM): 566x475x520
Qty./Carton: 60 pcs



Car Charger



HY-22

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2 / Cigarette Lighter: 2
6. Color: Black and Silver
7. Length of wire: 70cm
8. Size(MM): 75x70x85
9. Weight: 236g

Feature:

- Three-in-one multi-function: cigarette lighter + car charger + voltage detection
- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over voltage/over current protection
- 84 pcs of 60cm pure copper wire and built-in 10A replaceable safety tube to prevent
- LED display, car battery voltage detection
- High elastic metal contacts, fixed firmly
- 2 USB intelligent current shunt
- Smart cooling

Packing:

Inner box size(MM): 118x122x95
Carton size(MM): 485x470x475
Qty./Carton: 75 pcs

HY-26B

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2 / Cigarette Lighter: 3
6. Color: Black/White
7. Length of wire: 80cm
8. Size(MM): 96x66x31
9. Weight: 148g

Feature:

- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over voltage/over current protection
- Pure copper wire core and built-in 10A replaceable safety tube to prevent short circuit
- LED display, car battery voltage detection
- High elastic metal contacts, fixed firmly
- Smart cooling

Packing:

Carton size(MM): 488x470x475
Qty./Carton: 120 pcs



HY-26

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2 / Cigarette Lighter: 3
6. Color: Black/White
7. Length of wire: 80cm
8. Size(MM): 96x66x31
9. Weight: 148g

Feature:

- With independent switch, dual-port current limit and voltage limit intelligent protection, support fast charge, overheat/over voltage/over current protection
- Pure copper wire core and built-in 10A replaceable safety tube to prevent short circuit
- High elastic metal contacts, fixed firmly
- Smart cooling

Packing:

Carton size(MM): 488x470x475
Qty./Carton: 120 pcs

HY-29

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.2A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2 / Cigarette Lighter: 3
6. Color: Black/White
7. Size(MM): 94x115x33
8. Weight: 98g

Feature:

- Three-in-one multi-function: cigarette lighter + car charger + voltage detection
- Independent switch with pilot lamp, port current limit and voltage limit intelligent protection, support fast charge, overheat/over-voltage/over current protection
- 90°adjustable angle of rotation axis, can save space
- LED display, car battery voltage detection
- High elastic metal contacts, fixed firmly
- 2 USB intelligent current shunt

Packing:

Inner box size(MM): 117x145x46
Carton size(MM): 485x450x490
Qty./Carton: 120 pcs





HY-32

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.2A
3. Output Voltage: DC 5V
4. Power: 80W
5. USB Interface: 2
6. Cigarette Lighter: 2
7. Color: Black/White
8. Size(MM): 92x92x107
9. Weight: 103g

Feature:

- Three-in-one multi-function: cigarette lighter + car charger + voltage detection
- 2 USB intelligent current shunt
- LED display, car battery voltage detection
- 90°adjustable angle of rotation axis, can save space
- Independent switch with pilot lamp, dual-port current limit and voltage limit intelligent support fast charge, overheat/over-voltage/over current protection
- High elastic metal contacts, fixed firmly

Packing:

Inner box size(MM): 110x140x48
 Carton size(MM): 540x445x460
 Qty./Carton: 120 pcs

HY-36B

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.1A
3. Output Voltage: DC 5V
4. Power: 18W
5. USB Interface: 2
6. Color: Black/Grey
7. Size(MM): 33x59
8. Weight: 22g

Feature:

- Fuse mode for intelligent surge protection
- 2 USB intelligent current shunt, can match the maximum input current
- Built-in smart chip, multiple intelligent protection, over current/over voltage/short circuit/overheat /under current/under voltage /filtering protection
- Aluminum alloy borax oxidation decorative ring

Packing:

Inner box size(MM):88x113x40
 Carton size(MM): 420x365x365
 Qty./Carton: 120 pcs



HY-36

Specification:

1. Input Voltage: 12-24V
2. Output Current: 4.8A
3. Output Voltage: DC 5V
4. Power: 24W
5. USB Interface: 2
6. Color: Blue/Red/Silver
7. Size(MM): 33x59
8. Weight: 26g

Feature:

- LED display, car battery voltage detection
- Fuse mode for intelligent surge protection
- 2 USB intelligent current shunt, can match the maximum input current
- Built-in smart chip, multiple intelligent protection, over current/over voltage/short circuit/overheat /under current/under voltage /filtering protection
- Aluminum alloy borax oxidation decorative ring

Packing:

Inner box size(MM):85x128x47
 Carton size(MM): 510x405x440
 Qty./Carton: 150 pcs



HY-36C

Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.6A
3. Output Voltage: DC 5V
4. Power: 18W
5. USB Interface: 2
6. Color: Black/Grey
7. Size(MM): 33x59
8. Weight: 24g

Feature:

- LED display, car battery voltage detection
- Fuse mode for intelligent surge protection
- 2 USB intelligent current shunt, can match the maximum input current
- Built-in smart chip, multiple intelligent protection, over current/over voltage/short circuit/overheat /under current/under voltage /filtering protection
- Aluminum alloy borax oxidation decorative ring

Packing:

Inner box size(MM):88x113x40
 Carton size(MM): 420x365x365
 Qty./Carton: 120 pcs



RCC-208



Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.4A
3. Output Voltage: DC 5V
4. Power: 35W
5. USB Interface: 2
6. Color: Black
7. Size(MM): 110x51x51
8. Weight: 43g

Feature:

- LED display, car battery voltage detection
- 2 USB intelligent current shunt
- Built-in smart chip, multiple intelligent protection, over current/over voltage/ short circuit/overheat /under current/under voltage /filtering protection

Packing:

Carton size(MM): 600x340x500
Qty./Carton: 240 pcs

RCC-219



Specification:

1. Input Voltage: 12-24V
2. Output Current: 2.4A
3. Output Voltage: DC 5V
4. Power: 35W
5. USB Interface: 2
6. Color: Black/White
7. Size(MM): 43x24
8. Weight: 14g

Feature:

- 2 USB intelligent current shunt
- Built-in smart chip, multiple intelligent protection, over current/over voltage, short circuit/overheat /under current/under voltage /filtering protection

Packing:

Carton size(MM): 600x340x500
Qty./Carton: 120 pcs

RCC-214



Specification:

1. Input Voltage: 12-24V
2. Output Current: 3.4A
3. Output Voltage: DC 5-12V
4. Power: 35W
5. USB Interface: 2
6. Type-C Interface: 1
7. Color: Black
8. Size(MM): 126x90x43
9. Weight: 54g

Feature:

- 18W PD + 17W USB fast charging
- USB intelligent current shunt
- Built-in smart chip, multiple intelligent protection, over current/over voltage/ short circuit/overheat /under current/under voltage /filtering protection

Packing:

Carton size(MM): 600x335x490
Qty./Carton: 110 pcs

RCC-304



Specification:

1. Input Voltage: 12-24V
2. Output Current: 4.2A
3. Output Voltage: DC 5V
4. Power: 35W
5. USB Interface: 3
6. Color: Black
7. Size(MM): 110x51x51
8. Weight: 38g

Feature:

- 3 USB intelligent current shunt
- Built-in smart chip, multiple intelligent protection, over current/over voltage/ short circuit/overheat /under current/under voltage /filtering protection

Packing:

Inner box size(MM):88x113x40
Carton size(MM): 420x365x365
Qty./Carton: 120 pcs





HY-62

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: USB
8. TF Card: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Silver/Dark Grey
14. Length of Cable: 1.4M
15. Size(MM): 50x50x27.5
16. Weight: 63g

Feature:

- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Bluetooth A2DP supports two modes of connecting smart phones to play music:
 - 1) FM transmitting to car radio, playing through car audio system, and wireless stereo
 - 2) Aux audio cable is connected to the car Aux audio hole, with audio isolator, which can eliminate the noise of the car circuit and perfectly present the lossless sound quality (the car should have an AUX interface and the location is suitable for the connection of audio cable)
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Knob design, one key operation to adjust volume/answer/hang up/call back
- 4.1 version bluetooth chip, more stable and faster automatic connection
- Magnetic adsorption base: there is a magnetic adsorption base on the back, the use position is flexible, convenient and safe
- Φ 3.5 mm AUX high quality audio output interface
- Support TF card extended playback

Packing:

Inner box size(MM): 97x150x32
 Carton size(MM): 470x380x410
 Qty./Carton: 120 pcs



HY-82

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 4.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 46x39x80
15. Weight: 32g

Feature:

- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.1 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, 3.1A fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 82x130x58
 Carton size(MM): 540x310x440
 Qty./Carton: 100 pcs

HY-82S



Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Silver/Grey
14. Size(MM): 46x39x80
15. Weight: 51g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Zinc alloy electroplating process, piano paint appearance
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.1 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 74x115x55
 Carton size(MM): 480x295x395
 Qty./Carton: 100 pcs

HY-87



Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+1A
4. Bluetooth Version: 5.0
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 45x36x73
15. Weight: 29g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 5.0 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Carton size(MM): 540x290x410
 Qty./Carton: 120 pcs

HY-90

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Silver/Black
14. Size(MM): 45x75 and 87x30
15. Weight: 95g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Aluminum alloy oxidation CNC cutting process, piano paint appearance
- 1.44" LDC digital screen, can display lyrics, song titles and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- 4.1 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory
- Support TF card extended playback

Packing:

Inner box size(MM): 150x120x52
Carton size(MM): 545x335x505
Qty./Carton: 80 pcs



HY-92

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 42x63x94
15. Weight: 46g

Feature:

- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- 1.44" LDC digital screen, can display lyrics, song titles and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.1 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, 3.1A fast charging
- Support Φ 3.5 mm AUX high quality audio output interface
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 83x139x50
Carton size(MM): 535x295x435
Qty./Carton: 100 pcs



HY-96



Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+1A
4. Bluetooth Version: 5.0
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 20x50x75
15. Weight: 55g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 5.0 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 132x78x46
Qty./Carton: 100 pcs

M-16



Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+2.4A
4. Bluetooth Version: 5.0
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 42x63x94
15. Weight: 40g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 5.0 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 83x139x50
Carton size(MM): 535x295x435
Qty./Carton: 100 pcs



C-20

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+2.4A
4. Bluetooth Version: 4.2
5. Transmitting Distance: <5M
6. Effective Distance: 5M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 41x56x80
15. Weight: 39g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.2 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 83x130x59
Carton size(MM): 540x310x440
Qty./Carton: 100 pcs



C-21

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.6A
4. Bluetooth Version: 4.2
5. Transmitting Distance: <5M
6. Effective Distance: 5M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 41x56x80
15. Weight: 39g

Feature:

- Support Type-C interface PD charging protocol (support FCP fast charging protocol, support Apple, Samsung charging identification and BC1.2DCP charging protocol)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.2 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 83x130x59
Carton size(MM): 540x310x440
Qty./Carton: 100 pcs

C-85

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+2.4A
4. Bluetooth Version: 5.0
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 64GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 200x80x49
15. Weight: 90g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Piano paint appearance
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Aluminum alloy oxidation CNC cutting process, piano paint appearance
- 1.77" TFT colorful screen, can display lyrics, song titles and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 5.0 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 151x126x55
 Carton size(MM): 622x350x520
 Qty./Carton: 80 pcs



C-86

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: QC3.0+2.4A
4. Bluetooth Version: 5.0
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 64GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Black
14. Size(MM): 70x62x205
15. Weight: 92g

Feature:

- Support Qualcomm QC 3.0 fast charging (support QC2.0/QC3.0/PE+1.1/PE+2.0 and FCP fast charging protocols, support Apple, Samsung charging identification and BC1.2DCP charging protocols)
- Piano paint appearance
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- Aluminum alloy oxidation CNC cutting process, piano paint appearance
- 1.77" TFT colorful screen, can display lyrics, song titles and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 5.0 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, QC3.0 fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 151x124x68
 Carton size(MM): 622x360x515
 Qty./Carton: 80 pcs





T-19

Specification:

1. Input Voltage: 12-24 V
2. USB Output Voltage: DC 5V
3. USB Output Current: 3.1A
4. Bluetooth Version: 4.1
5. Transmitting Distance: <5M
6. Effective Distance: 10M
7. Power Interface: Cigarette Charge
8. TF Card/USB Flash Disk: ≤ 32 GB
9. Bit Rate: 64-320kbps
10. FM Frequency Range: 87.5-108 MHz
11. Signal To Noise Ratio: 85 dB (FM: 65 dB)
12. Supported File Type: MP3 / WMA / APE / FLAC / WAV
13. Color: Silver/Black
14. Size(MM): 46x39x80
15. Weight: 43g

Feature:

- Support Type-C interface PD charging protocol (support FCP fast charging protocol, support Apple, Samsung charging identification and BC1.2DCP charging protocol)
- Bluetooth smart MP3 player, support hands-free calling and music, built-in high-sensitivity microphone, HSP bottom noise and echo suppression
- LED digital screen, can display frequency points, numbers and working status information
- Automatic car battery voltage detection, support voice reminder
- Support navigation voice broadcasting and other APP sound playing function
- Support lossless audio decoding, high resolution, high performance stereo
- Support TF card and USB flash disk extended playback
- 4.1 version bluetooth chip, more stable and faster automatic connection
- 2 USB output interface, intelligent identification, 3.1A fast charging
- Knob design, one key operation to adjust volume/answer/hang up/call back
- Support key operation to switch folder playback
- Support playback breakpoint memory

Packing:

Inner box size(MM): 83x130x58
Carton size(MM): 580x320x415
Qty./Carton: 100 pcs



C-3

Specification:

1. Main Material: ABS
2. Color: Black
3. Size(MM): 110x130x50
4. Applicable Phone Size: 4.7"-7.5"
5. Weight: 60g

Feature:

- Gravity vertical induction, phones stand more stable
- 3 Support bases for selection, compatible with different outlet types
- Support one-handed operation, easy to take and put
- The inner side of the fixed fulcrum is thickened with silica gel to stabilize and protect the phone
- Optional with suction cup base, with a retractable folding arm, 270°maximum rotation
- The support panel is made of carbon fiber, which is wear-resistant and has a long service life
- Reserved charging hole at the bottom



X-8

Specification:

1. Main Material: ABS
2. Color: Black/Red/Silver
3. Size(MM): 120x135x55
4. Applicable Phone Size: 4.7"-7.5"
5. Weight: 70g

Feature:

- Gravity vertical induction,, phones stand more stable
- The support panel is made of stalinite
- 3 support bases for selection, compatible with different outlet types
- Support one-handed operation, easy to take and put
- Optional with suction cup base, with a retractable folding arm, 270°maximum rotation
- The inner side of the fixed fulcrum is thickened with silica gel to stabilize and protect the phone
- Reserved charging hole at the bottom



D-3

Specification:

1. Main Material: Aluminium Alloy+ABS
2. Color: Silver/Grey
3. Size(MM): 130x175x62
4. Applicable Phone Size: 4.5"-7.5"
5. Weight: 220g

Feature:

- Support 360° rotation adjustment
- Support Wireless Charging, micro USB interface, 15W max output voltage, support fast charging
- Automatic infrared sensing clamp arm, phones stand more stable
- Touch sensing on the back, automatic extension of the clip arm
- Built-in smart chip, short circuit/ high temperature/ over voltage/ over charge and discharge magnetic field/ over current/ over power protection
- Support one-handed operation, easy to take and put
- The inner side of the fixed fulcrum is thickened with silica gel to stabilize and protect the phone
- Internal battery, support taking out phone after the power cut off
- Reserved charging hole at the bottom



X-11

Specification:

1. Main Material: Aluminium Alloy+ABS
2. Color: Black/Silver
3. Size(MM): 115x115x45
4. Applicable Phone Size: 4.5"-7.5"
5. Weight: 70g

Feature:

- Gravity vertical induction, phones stand more stable
- The support panel is made of carbon fiber, which is wear-resistant and has a long service life
- Alloy CNC oxidation sand blasting process
- Environment-friendly silicone steel core clamp, not easy to fall
- Support one-handed operation, easy to take and put
- The back is designed to keep the temperature of the phone from being too high or too low
- The inner side of the fixed fulcrum is thickened with silica gel to stabilize and protect the phone
- Reserved charging hole at the bottom





M-7

Specification:

1. Main Material: ABS
2. Color: Black/Grey
3. Size(MM): 115x80x63
4. Applicable Phone Size: 4.7"-7.5"
5. Weight: 230g

Feature:

- Support 360° rotation adjustment
- Support Wireless Charging, type-c interface, 15W max output voltage, support fast charging
- Automatic infrared sensing clamp arm with memory function, phones stand more stable
- Touch sensing on the back, automatic extension of the clip arm
- Built-in smart chip, short circuit/ high temperature/ over voltage/ over charge and discharge magnetic field/ over current/ over power protection
- The support panel is made of PC glass, which is wear-resistant and has a long service life
- The inner side of the fixed fulcrum is thickened with silica gel to stabilize and protect the phone
- Support one-handed operation, easy to take and put
- Internal battery, support taking out phone after the power cut off
- Reserved charging hole at the bottom
- 2 support bases for selection



B-694

Specification:

1. Material: Oxford Fabric
2. Color: Black
3. Folded Size(MM): 400x270x20
4. Unfolded Size(MM): 520x385x260
5. Weight: 500g

Feature:

- Foldable to save space
- Certain waterproof function



B-6717

Specification:

1. Material: PP
2. Color: Black/ Green/ Blue/ Brown
3. Folded Size(MM): 430x290x80(30L)/530x360x80(56L)/720x480x100(120L)
4. Unfolded Size(MM): 410x290x240(30L)/530x360x290(56L)/720x480x400(120L)
5. Weight: 1100g/1900g/4200g

Feature:

- Foldable to save space
- Certain waterproof function
- Optional inner waterproof bag
- Strong bearing force



KelyLands
Car Accessory

***KelyLands,
Make You Comfortable In The Car.***